

PROGRESS SHEET – APPLICATION FOR CHANGE/TRANSFER

SUBJECT TO REAL ESTATE EXCISE TAX? YES ☐ NO ☐

NAME: **Dayton School District No. 2**
 609 South 2nd Street, Dayton, WA 99328
 509-382-2543 F: 382-2081
 CONTACT: John Hutchens, Maint. Supervisor
 Cell: 509-389-4812

Copies scanned & e-mailed to Department of Revenue:

Date: _____

Initial: _____

Chg. Application ROE/ROD Assignment

☐ ASSIGNED (SEE BACK OF PAGE)

APP. NO. G3-29424	PERMIT NO. G3-29424P	CERT. NO.	CERT. OF CHANGE NO(S)
-----------------------------	--------------------------------	-----------	-----------------------

COLUMBIA COUNTY

WRIA

32

Super. Permit
5479838

WRTS No. **CG3-29424P**

ID No. **4641782**

PURPOSE OF APPLICATION: **Add 1-well**

☐ SPOTTED

Date Application received: **June 22, 2009** Date fee received: **6-22-2009** Amount: **\$50.00 ck 101862**

Statement of additional exam sent: _____ Date fee received: _____ Amount: \$ _____

Returned for completion or correction: **June 25, 2009** Received: **June 30, 2009**

☐ Application mapped by: _____ date: _____

PUBLICATION:

Newspaper: **Dayton Chronicle**

OK'd by: **K.Ryf**

Date Notice Sent **7-29-2009**

Date Affidavit received: **9-28-2009**

Time expires: **9-20-2009**

Checked by: **K.Ryf**

Date: **9-30-2009**

☐ Protests: _____

☐ Fee rcvd _____

SEPA REQUIRED: ☐ YES ☒ NO - EXEMPT

Checklist requested by: _____ date: _____ note: _____

Checklist fwd to SEPA project manager by: _____ date: _____

FIELD EXAMINATION REQUIRED:

☒ YES

☐ NO

Examination by: **D. Tolleason** date: **9-4-2012**

☐ ROE map checked by: _____ date: _____

BC due: **N/A**

BC rcvd: _____ ext: _____

CC due: **N/A**

CC rcvd: _____ ext: _____

PA due: **12-1-2013**

PA rcvd: _____ ext: _____

PA FIELD EXAMINATION REQUIRED – DATE: _____ BY: _____

Date OK'd for CHANGE/TRANSFER: _____ By: _____

☐ Chg-ROE map checked by: _____ Date: _____

*Statement of Fee Sent: _____ Fee Received: _____

*Cert. Of Change ONLY

Date CHANGE ROE ISSUED: **9-6-2012** No. _____

Change/Transfer Application to be processed by **County Water Conservancy Board**

ROD received: _____ 45 day review period ends: _____ Review Period Extended to: _____ Ecy Decision Mailed: _____

Date mailed to interested parties:

☐ WDFW ☐ State DOH ☐ County DOH ☐ Tribe

☐ W²FO ☐ EhrataFO ☐ Other

cc: [NAME & ADDRESS]

ASSIGNMENT INFO:

SUBJECT TO REAL ESTATE EXCISE TAX

Assignment received: _____

Assignment approved: _____

Assignee: _____

Address: _____

Phone #: _____

☐ Mailed assignee copy of current App/ROE date: _____

Submitted to Department of Revenue

Date: _____

Initial: _____

Assignment received: _____

Assignment approved: _____

Assignee: _____

Address: _____

Phone #: _____

☐ Mailed assignee copy of current App/ROE date: _____

Submitted to Department of Revenue

Date: _____

Initial: _____

Assignment received: _____

Assignment approved: _____

Assignee: _____

Address: _____

Phone #: _____

☐ Mailed assignee copy of current App/ROE date: _____

Submitted to Department of Revenue

Date: _____

Initial: _____

Assignment received: _____

Assignment approved: _____

Assignee: _____

Address: _____

Phone #: _____

☐ Mailed assignee copy of current App/ROE date: _____

Submitted to Department of Revenue

Date: _____

Initial: _____

Assignment received: _____

Assignment approved: _____

Assignee: _____

Address: _____

Phone #: _____

☐ Mailed assignee copy of current App/ROE date: _____

Submitted to Department of Revenue

Date: _____

Initial: _____

Assignment received: _____

Assignment approved: _____

Assignee: _____

Address: _____

Phone #: _____

☐ Mailed assignee copy of current App/ROE date: _____

Submitted to Department of Revenue

Date: _____

Initial: _____

Assignment received: _____

Assignment approved: _____

Assignee: _____

Address: _____

Phone #: _____

☐ Mailed assignee copy of current App/ROE date: _____

Submitted to Department of Revenue

Date: _____

Initial: _____



Permit

Document Type Code - 4
(Bar-code 39, Font 48)

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY
SUPERSEDING PERMIT

THIS PERMIT SUPERSEDES GROUND WATER PERMIT NO. G3-29424 ISSUED JUNE 7, 1994
TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

- ☐ Surface Water (Issued in accordance with the provisions of Chapter 117, Laws of Washington for 1917, and amendments thereto, and the rules and regulations of the Department of Ecology.)
- ☒ Ground Water (Issued in accordance with the provisions of Chapter 263, Laws of Washington for 1945, and amendments thereto, and the rules and regulations of the Department of Ecology.)

PRIORITY DATE	APPLICATION NUMBER	PERMIT NUMBER	CERTIFICATE NUMBER
February 16, 1993	G3-29424	G3-29424	

NAME			
Dayton School District No. 2			
ADDRESS (STREET)	(CITY)	(STATE)	(ZIP CODE)
609 South 2 nd Street	Dayton	Washington	99328

The applicant is hereby granted a permit to appropriate the following public waters of the State of Washington, subject to existing rights and to the limitations and provisions set herein.

PUBLIC WATERS TO BE APPROPRIATED		
Source		
A well		
TRIBUTARY OF (IF SURFACE WATERS)		
MAXIMUM CUBIC FEET PER SECOND	MAXIMUM GALLONS PER MINUTE	MAXIMUM ACRE FEET PER YEAR
	80	21

QUANTITY, TYPE OF USE, PERIOD OF USE

80 gallons per minute, 21 acre feet per year, for non agricultural irrigation of 6 acres from April 1 to November 30, each year.

LOCATION OF DIVERSION/WITHDRAWAL
APPROXIMATE LOCATION OF DIVERSION--WITHDRAWAL
1875 feet North and 2460 feet West from the SE¼ of Section 30

LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION)	SECTION	TOWNSHIP N.	RANGE, (E. OR W.) W.M.	W.R.I.A.	COUNTY
NW¼SE¼	30	10	39 E.	32	Walla Walla

RECORDED PLATTED PROPERTY		
LOT	BLOCK	OF (GIVE NAME OF PLAT OR ADDITION)

LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

Beginning at the N¼ corner of Section 30, T. 10 N., R. 39 E.W.M. thence S1-35-56 E 2,838.6 feet to the point of beginning for this legal description; thence S55-0-31 W 245.6 feet; thence S42-56-48E 1082.9 feet; thence N46-47-55E 480.9 feet; thence N55-44-38W 1073.5 feet to the point of beginning.

COPY

DESCRIPTION OF PROPOSED WORKS

A well

DEVELOPMENT SCHEDULE

BEGIN PROJECT BY THIS DATE:

Completed

COMPLETE PROJECT BY THIS DATE:

Completed

WATER PUT TO FULL USE BY THIS DATE:

December 1, 2013

PROVISIONS

All wells constructed in the state must meet the construction requirements of WAC 173-160 titled "Minimum Standards for the Construction and Maintenance of Wells" and RCW 18.104 titled "Water Well Construction". Any well which is unusable, abandoned, or whose use has been permanently discontinued, or which is in such disrepair that its continued use is impractical or is an environmental, safety or public health hazard must be decommissioned.

This well shall be cased and permanently sealed a minimum of 150 feet below ground surface into competent basalt rock.

All wells must be tagged with a Department of Ecology unique well identification number. If you have an existing well and it does not have a tag, please contact the well-drilling coordinator at the regional Department of Ecology office issuing this decision. This tag must remain attached to the well. If you are required to submit water measuring reports, reference this tag number.

Installation and maintenance of an access port as described in WAC 173-160- 291(3) is required.

An approved measuring device must be installed and maintained for each of the sources identified by this water right in accordance with the rule "Requirements for Measuring and Reporting Water Use", WAC 173-173, which describes the requirements for data accuracy, device installation and operation, and information reporting. It also allows a water user to petition the Department of Ecology for modifications to some of the requirements.

Well water use data shall be recorded weekly and maintained by the city for a minimum of five years. The weekly maximum rate of withdrawal and the annual total volume, shall be submitted to Ecology by January 31st of each calendar year.

Recorded water use data shall be submitted via the Internet. To set up an Internet reporting account, contact the Eastern Regional Office. If you do not have Internet access, you can still submit hard copies by contacting the Eastern Regional Office for forms to submit your water use data.

The water right holder is required to maintain efficient water delivery systems and use of up to date water conservation practices consistent with RCW 90.03.005.

The water right holder must file the notice of Proof of Appropriation of water (under which the certificate of water right is issued) when the permanent distribution system has been constructed and the quantity of water required by the project has been put to full beneficial use. The certificate will reflect the extent of the project perfected within the limitations of the water right. Elements of a proof inspection may include, as appropriate, the source(s), system instantaneous capacity, beneficial use(s), annual quantity, place of use, and satisfaction of provisions.

Department of Ecology personnel, upon presentation of proper credentials, will have access at reasonable times, to the project location, and to inspect at reasonable times, records of water use, wells, diversions, measuring devices and associated distribution systems for compliance with water law.

This authorization to make use of public waters of the state is subject to existing rights, including any existing rights held by the United States for the benefit of Indians under treaty or otherwise.

This superseding permit shall be subject to cancellation should the permittee fail to comply with the above development schedule and/or to give notice to the Department of Ecology on forms provided by that Department documenting such compliance.

Signed this 17th day of October, 2012, at Spokane, Washington,

DATA REVIEW
OK KT

Department of Ecology

by Keith L. Stoffel
Keith L. Stoffel, Section Manager